HP LaserJet Managed MFP E82560



Premium quality, maximum uptime, and the strongest security from a smart, streamlined MFP.

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet MFPs—to power productivity with a streamlined design that delivers premium quality, maximum uptime, and the strongest security.



HP LaserJet Managed MFP E82560dn



HP LaserJet Managed Flow MFP E82560z

*Purchase of optional paper trays and output accessory availability varied by

High quality, low cost

- Print premium, professional-quality documents with sharp text and crisp graphics for a low cost.
- Get consistent, professional quality and performance you count on with Original HP toner cartridges and drums.
- Choose from a range of modular accessories designed to adapt to the needs of workgroups of all sizes.

Minimal interruptions. Maximum uptime.

- Avoid interruptions with an HP LaserJet Managed MFP designed to be streamlined for maximum productivity.
- Tailor this MFP to the needs of your business with a wide range of paper-handling accessories.
- Scan files directly to Microsoft® Office 365 and SharePoint, plus email, USB, and network folders ²
- Grab pages and go, without waiting. This HP LaserJet wakes up quickly and prints fast—up to 60 ppm.³

The world's most secure printing

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Help protect information on the MFP and in transit over the network. Store data on the encrypted hard disk.⁴
- Continually monitor to detect and stop attacks, then automatically reboot with run-time intrusion detection.
- Whitelisting checks firmware during startup to help ensure it's authentic, good code—digitally signed by HP.

Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages—every time.
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscale-optimized.
- Load up to 250 pages into the automatic document feeder for fast, unattended scanning.

Product walkaround

- 1. 250-sheet automatic document feeder supports media up to 11 x 17 inches (A3)
- 2. Flatbed scanner handles sheets up to 11.7 x 17 inches (297 x 432 mm)
- 3. 8.0 inch (20.3 cm) color touchscreen control panel tilts up for easier viewing
- 4. Pull-out keyboard
- 5. Right door (access to the print path)
- 6. 100-sheet multipurpose tray 1 supports media up to 11 \times 17 inches (A3)
- 7. Front door access to toner cartridges
- 8. Hardware Integration Pocket (for connecting accessory and third-party devices)1
- 9. Easy-access USB port²
- 10. 500-sheet output bin
- 11. Automatic two-sided printing
- 12. HP Secure High-Performance Hard Disk
- 13. 520-sheet tray 2 supports media up to letter (A4) 14. 520-sheet tray 3 supports media up to 11 x 17 (A3)
- 15. Slot for cable-type security lock
- 16. 2 Hi-Speed USB 2.0 Host ports
- 17. Gigabit Ethernet port
- 18. Hi-Speed USB 2.0 Device port



Series at a glance





Model	HP LaserJet Managed MFP E82560dn	HP LaserJet Managed Flow MFP E82560z
Product number	Z8Z22A	Z8Z23A
Functions	Print, copy, and scan (fax and wireless optional)	Same as E82560dn
Print speed ³	Up to 60 pages per minute (ppm), letter and A4	Same as E82560dn
ADF capacity	250 sheets, supports media up to 11 x 17 inches (A3)	Same as E82560dn
Scan speeds (black and color) ⁴	Simplex/duplex: 90 ipm/180 ipm (letter and A4)	Simplex/duplex: 120 ipm/240 ipm (letter and A4)
Advanced workflow features	Send to Microsoft® SharePoint®	Same as E82560dn, plus: HP EveryPage technology, pull-out keyboard, auto-tone, auto orientation, auto-page-crop, embedded OCR
Optional input accessories	2 x 520-sheet Paper Feeder, 2,000-sheet HCI Feeder, 3,000-sheet side-mount HCI Feeder, Printer Cabinet	Same as E82560dn
Optional output accessories	Stapler/Stacker, Inner Finisher, Hole Punch (2/3, 2/4, and Swedish), Booklet Maker	Same as E82560dn

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

Choose from:

Optimized Care (optimum performance and stability:

4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime:

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support

Next Business Day Onsite Support

4 hour Onsite Support:

Onsite support within four hours after a service call received within the coverage window

Next Business Day Onsite Support:

Onsite service the next business day after the service call is received

Maintenance Kit Replacement Service:

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

Installation with Network Configuration Service:

Assembly, network configuration, and basic administrator familiarization. For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices













Top Features

Quality printing for a great value is a smart choice for any business. Produce premium, professional-quality documents at a competitive low cost with an HP LaserJet MFP built to make your work—and your business—look its best.

Annoying interruptions and complex maintenance can slow down printing, and ultimately, the pace of business. Avoid pauses in productivity with an HP LaserJet MFP designed for maximum uptime, so you can count on reliable results day in and day out.

Only HP Enterprise printers repair themselves from attacks in real time, with built-in security to help keep your network safe. Automatically monitor threats, detect intrusions, and validate operating software with security offered only by HP.

Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs super-fast—up to 180 ipm—and avoid extra steps with a Flow MFP designed for maximum productivity.

Product

Z8Z22A HP LaserJet Managed MFP E82560dn **Z8Z23A** HP LaserJet Managed Flow MFP E82560z

Accessories

B5L29A HP High-Performance Secure Hard Disk CC487A HP LaserJet MFP Analog Fax Accessory 500 Y1F98A HP LaserJet Dual Cassette Department Feeder **Y1G01A** HP LaserJet Department Job Separator Y1G03A HP LaserJet Inner Finisher Hole 2/4 Punch HP LaserJet Inner Finisher Swedish Punch **Y1G04A Y1G07A** HP Laser let Booklet Finisher **Y1G12A** HP LaserJet Hole Punch Swedish Accessory **Y1G20A** HP LaserJet 3000 Sheet HCI Dept Tray

HP LaserJet 2000-sheet HCI Input Tray

Supplies

Y1G21A

W9014MC
 HP W9014MC Black Managed LaserJet Toner (69,000 pages)
 W9015MC
 HP W9015MC Black Managed LaserJet Imaging Drum (396,000 pages)
 W9016MC
 HP W9016MC Managed LaserJet Toner Collection Unit (300,000 pages)

HP Care Packs

U9LR0E

U9LR1E HP 3 year Next Business Day Svc w/Defective Media Retention for LaserJet E825xx MFP Managed U9LR2E HP 4 year Next Business Day Svc w/Defective Media Retention for LaserJet E825xx MFP Managed U9LR3E HP 5 year Next Business Day Svc w/Defective Media Retention for LaserJet E825xx MFP Managed U9LR4E HP 3 year 4 hour 9x5 Svc w/Defective Media Retention for LaserJet E825xx MFP Managed **U9LR5E** HP 4 year 4 hour 9x5 Svc w/Defective Media Retention for LaserJet E825xx MFP Managed U9LR6E HP 5 year 4 hour 9x5 Svc w/Defective Media Retention for LaserJet E825xx MFP Managed U9LR7E HP 1 year Next Business Day Parts Exchange Svc for LaserJet E825xx MFP Managed (Channel Only) U9LR8E HP 3 year Next Business Day Parts Exchange Svc for LaserJet E825xx MFP Managed (Channel Only) U9LR9E HP 4 year Next Business Day Parts Exchange Svc for LaserJet E825xx MFP Managed (Channel Only) **U9LS0E** HP 5 year Next Business Day Parts Exchange Svc for LaserJet E825xx MFP Managed (Channel Only) HP 1 year Post Warranty NBD Svc w/Defective Media Retention for LaserJet E825xx MFP Managed U9LS1PE U9LS2PE HP 2 year Post Warranty NBD Svc w/Defective Media Retention for LaserJet E825xx MFP Managed U9LS3PE HP 1 year Post Wty 4 hour 9x5 Svc w/Defective Media Retention for Laseret E825xx MFP Managed

HP 1 year Next Business Day Svc w/Defective Media Retention for LaserJet E825xx MFP Managed

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

Paper

Contact HP via phone: Asia: 65 6253 8500

Solutions

HP Web Jetadmin: hp.com/go/wja HP Universal Print Driver: hp.com/go/upd

HP Imaging and Printing Security Center: hp.com/go/ipsc

HP LaserJet Managed MFP E82560

Dradust number	HP LaserJet Managed MFP E82560dn Z8Z22A	HP LaserJet Managed Flow MFP E82560z Z8Z23A	
roduct number unctions	Print, Copy, Scan (fax and wireless optional)	LULLIN	
rint	, озручаем силина применя		
Ouplex print options	Automatic (standard)		
Print speed		om; Black (tabloid, normal): Up to 60 ppm; Black (A4, duplex): Up to 60 ipm; Black (letter, duplex): Up to	
	ipm; Black (A3, duplex): Up to 30 ipm; Black (tabloid, duplex): Up to 30 ipm		
First page out ²	Black (A4, ready): As fast as 6.3 sec; Black (A4, sleep): As fast as 20 sec; Black (letter, ready): As fast as	6.4 sec; Black (letter, sleep): As fast as 20 sec	
Print technology	Laser		
Print resolution	Black (best): Up to 1200 x 1200 dpi reduced speed; Black (normal): Up to 600 x 600 dpi 1 (1 black cartridge)		
Print cartridges number Standard print languages	HP PCL 6, HP PCL 5c, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible		
Printer management		te, Add Print Model to Comments, AutoUpgradeUPD, Driver Configuration Utility, Driver Deployment Utility, HP	
· ·····c· ···unugement	Managed Printing Administration, PRNCON.EXE, HPPRLOG, Migrate-Server-Tools, UpdateNow, Remove Plug	and Play Drivers); HP Web Jetadmin Software; Resource Kit for HP Web Jetadmin (HP SNMP Proxy Agent, HP Version of the Company Agent	
	Pro Proxy Agent); HP JetAdvantage Security Manager		
Scan Scan technology	Type: Flatbed, ADF; Technology: Platen Scanner CCD Digital-CIS		
	Normal, A4: Up to 90 ppm/180 ipm (b&w), up to 90 ppm/180 ipm (color)	Normal, A4: Up to 120 ppm/240 ipm (b&w), up to 120 ppm/240 ipm (color)	
Scan speed / Scan resolution	Enhanced: Up to 600 x 600 dpi; Hardware: Up to 600 x 600 dpi		
Digital sending starndard features		; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase	
3	Auto Color Sense; Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect;	Auto Straighten; Auto Crop To Page	
Scan size	Flatbed: 297 x 432 mm; ADF scan size: 297 x 432 mm		
Scan input modes	Front panel applications: Copy; E-mail; Fax; Save to Network Folder; Save to USB; Save to Device Memory; O	t _e	
Scan file format	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A: Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (DCR), Unicode TEXT (OCR), RTF (OCR), EARTHOUGH, CDCAP, SEAT to Laboration Search	
Copy Copy smart software features	Better remote diagnosis and renair: Higher first time fix rates: Full toner LLC utilization: Canture un-hilled no	ages from reconnected network devices, personal printers; On-site access to service training; A3 LaserJets are	
opy smart sortware reacules	designed for fewer LLC replacements and faster repairs.	Jacobs de de la de la deservación de la decesario de vice de de la decesario d	
Copy speed	Black (A4, normal): Up to 60 cpm; Black (letter, normal): Up to 60 cpm; Black Duplex (A4): Up to 60 cpm		
irst copy out	Black (A4): As fast as 5.9 sec; Black (A4, sleep): As fast as 20.5 sec; Black (letter): As fast as 6.0 sec; Black (letter, sleep): As fast as 20.5 sec		
opy resolution	Black (text and graphics): Up to 1200 x 1200 dpi reduced speed		
Max. number of copies	Up to 999 copies		
opier resize	25 to 400% Two-sided copying; scalability; image adjustments (darkness, contrast, background cleanup, sharpness); op	timized tayt/nicture (tayt, mixed, printed picture, photograph): N. Hp. M.o. 7, ordering, content origination	
Copier settings	collation; booklet; ID Scan; job build; job Storage; watermark; stamps; book mode scans; erase edges; auto		
Fax			
ax speed	33.6 kbps		
ax resolution	Up to 300 x 300 dpi (400 x 400 dpi for received faxes only)		
ax features	Auto fax reduction supported: Yes; Auto-redialing: Yes; Fax delayed sending: No; Distinctive ring dete dialing numbers: Up to 1000 numbers (each with 210 destinations); PC interface supported: Yes; Fax po		
ax memory	Fax memory (A4): Up to 500 pages; Fax memory (letter): Up to 500 pages		
onnectivity			
tandard connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Hardwa		
Nobile printing capability ³	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IF Support for WJA-10 IPsec Configuration using IPsec Plug-in	PP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication;	
Network ready	Support or ware to resect configuration tasing preserving in Standard (ware in 1994). Standard (ware in 1994) (ware in 1994). Standard (ware in 1994) (ware in 1994). Standard (ware in 1994) (ware in 1994). Standard (ware		
Wireless capability	No wireless capabilities standard. There are optional accessories (common to all current Jedi products) that	support wireless. These are listed in the connectivity section, above.	
Network Capabilities	Standard (built-in Gigabit 10/100/1000T Ethernet)	, , , , , , , , , , , , , , , , , , ,	
Memory	Standard: 7 GB; Maximum: 7 GB		
Hard Disk		encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data	
	Secure ATA Erase-Disk). Note: U.S. government SKU uses 500GB FIPS 140-2 validated hard disk instead.		
Processor speed Duty cycle (monthly)	1.2 GHz Up to 300,000 pages; Recommended monthly page volume: Up to 100,000 pages		
Paper handling	op to 300,000 pages, Recommended monthly page volume. Op to 100,000 pages		
nput	100-sheet multi-purpose tray, 2 x 520-sheet input tray, 520-sheet input tray, 250 sheet ADF; Optional 215	0 sheet tray; Optional 3000 sheet tray	
Dutput	500 sheet face-down output bin		
Media type	Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Sof 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g 256-300g, Heavy Paperboard, Color Transparency, Labels, Letterhead, Envelope, Heavy Envelope, Preprint	t Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-WtGlossy 96-110g, Hvy Glossy	
	2.30-300g, newy represents, commenced the management, causes, Letterneau, Envelope, newy Liverape, reprinted, Preparative, Colonies Tray 1, 2, 3: 60 to 300 g/m²		
		, HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard ed, Prepunched, Colored	
Aedia sizes custom	Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4	, HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard ed, Prepunched, Colored	
Media sizes custom Dimensions (W x D x H)	Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4 585 x 771.1 x 932.2 mm	, HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard ad, Prepunched, Colored	
Media sizes custom Dimensions (W x D x H) Weight	Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4 585 x 771.1 x 932.2 mm 95.6 kg	, HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard ed, Prepunched, Colored	
Media sizes custom Dimensions (W x D x H) Weight What's in the box	Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4 585 x 771.1 x 932.2 mm 95.6 kg Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware instal	, HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard ed., Prepunched, Colored 57.2 mm Land setup documentation; Support flyers (DOES NOT INLCLUDE TONER)	
Media sizes custom Dimensions (W x D x H) Weight What's in the box	Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4 585 x 771.1 x 932.2 mm 95.6 kg Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware instal	, HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard ed. Prepunched, Colored 57.2 mm Land setup documentation; Support flyers (DOES NOT INLCLUDE TONER)	
Media sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features	Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4 585 x 771.1 x 932.2 mm 95.6 kg Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware instal 90 day parts only. Extended Warranty and support options vary by product, country and local legal requirer region.	, HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard ed., Prepunched, Colored 57.2 mm I and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) nents. Go to http://www.hp.com/support to learn about HP award winning service and support options in you	
Media sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features Systems	Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4 585 x 771.1 x 932.2 mm 95.6 kg Begine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware instal 90 day parts only. Extended Warranty and support options vary by product, country and local legal requirer region. Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8 SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Home, XP Pro, etc.)	, HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard ad, Prepunched, Colored 57.2 mm I and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) nents. Go to http://www.hp.com/support to learn about HP award winning service and support options in you 5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linus Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Tour Control of the State of the State of State o	
Media sizes custom Dimensions (W x D x H) Welght What's in the box Warranty features Systems Compatible operating systems	Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4 585 x 771.1 x 932.2 mm 95.6 kg Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware instal 90 day parts only. Extended Warranty and support options vary by product, country and local legal requirer region. Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8 SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), 05 mac05 10.12 Sierra, 05 X 10.10 Y Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), 1 PC: 2 GB available hard disk space; OS hardware requirements see microsoft.com	, HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard ad, Prepunched, Colored 57.2 mm I and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) nents. Go to http://www.hp.com/support to learn about HP award winning service and support options in you 5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linus Seemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets),	
Media sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features Systems Compatible operating systems Minimum system requirements	Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4 585 x 771.1 x 932.2 mm 95.6 kg Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware instal 90 day parts only. Extended Warranty and support options vary by product, country and local legal requirer region. Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8 5USE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), 05 mac05 10.12 Sierra, 05 X 10.10 Y Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Home, XP Pro, etc.) PC: 2 GB available hard disk space; OS hardware requirements see microsoft.com Mac: 1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info	, HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard ad, Prepunched, Colored 57.2 mm Li and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) nents. Go to http://www.hp.com/support to learn about HP award winning service and support options in you 5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux Seemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32-8 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Dome Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Dome Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Dome Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Dome Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Dome Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Dome Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Dome Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Dome Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Dome Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Dome Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Dome Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Dome Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Dome Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Dome Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Dome Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Dome Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Dome Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Dome Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Dome Basic, Premium, Professional, etc.), Window SP3 22-bit editions (Dome	
Addia sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features Systems Compatible operating systems Ainimum system requirements	Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4 585 x 771.1 x 932.2 mm 95.6 kg Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware instal 90 day parts only. Extended Warranty and support options vary by product, country and local legal requirer region. Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8 SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), 05 mac05 10.12 Sierra, 05 X 10.10 Y Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), 1 PC: 2 GB available hard disk space; OS hardware requirements see microsoft.com	, HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard ad, Prepunched, Colored 57.2 mm Li and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) nents. Go to http://www.hp.com/support to learn about HP award winning service and support options in you 5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux Seemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32-8 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Dome Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Dome Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Dome Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Dome Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Dome Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Dome Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Dome Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Dome Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Dome Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Dome Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Dome Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Dome Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Dome Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Dome Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Dome Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Dome Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Dome Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Dome Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Dome Basic, Premium, Professional, etc.), Window SP3 22-bit editions (Dome	
Adedia sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features Systems Compatible operating systems Alinimum system requirements	Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4 585 x 771.1 x 932.2 mm 95.6 kg Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware instal 90 day parts only. Extended Warranty and support options vary by product, country and local legal requirer region. Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8 SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), 05 mac05 10.12 Sierra, 05 X 10.10 Y Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), 1 Home, XP Pro, etc) PC: 2 GB available hard disk space; OS hardware requirements see microsoft.com Mac1.3 GB available hard dirive space; Internet; OS hardware requirements see Apple.com for more info Management security. SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), If Support for WJA-10 IPsec Configuration using IPsec Plug-in	the Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard ad, Prepunched, Colored 57.2 mm I and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) nents. Go to http://www.hp.com/support to learn about HP award winning service and support options in you 5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Lirux Seemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Prover TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication;	
Addia sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features Systems Compatible operating systems Alinimum system requirements Security management Fonts and Typefaces	Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4 585 x 771.1 x 932.2 mm 95.6 kg 95.6 kg Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware instal 90 day parts only. Extended Warranty and support options vary by product, country and local legal requirer region. Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8 SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 to Windows 7 at 31.2 - 8 64-bit editions (excluding RT OS for Tablets), 14 home, XP Pro, etc.) Pt.: 2 6B available hard disk space; OS hardware requirements see microsoft.com Mac 1.3 G8 available hard drive space; Internet; OS hardware requirements see Apple.com for more info Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), If Support for WIA-10 IP-Sec Configuration using IP-sec Plug-in 84 scalable True Type fonts 8-0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display;	, HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard ad, Prepunched, Colored 57.2 mm Land setup documentation; Support flyers (DOES NOT INLCLUDE TONER) nents. Go to http://www.hp.com/support to learn about HP award winning service and support options in you 5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Lin seemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (by Pover TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display;	
Media sizes custom Dimensions (W x D x H) Velight What's in the box Varranty features Systems Compatible operating systems Minimum system requirements Security management Control and Typefaces	Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4 585 x 771.1 x 932.2 mm 95.6 kg Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware instal 90 day parts only. Extended Warranty and support options vary by product, country and local legal requirer region. Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8 SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), 05 mac05 10.12 Sierra, 05 X 10.10 Y Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), 1 Home, XP Pro, etc) PC: 2 GB available hard disk space; OS hardware requirements see microsoft.com Mac1.3 GB available hard dirive space; Internet; OS hardware requirements see Apple.com for more info Management security. SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), If Support for WJA-10 IPsec Configuration using IPsec Plug-in	the Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard ad, Prepunched, Colored 57.2 mm I and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) nents. Go to http://www.hp.com/support to learn about HP award winning service and support options in you 5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linus Seemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Depressional)	
Adedia sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features Systems Compatible operating systems Alinimum system requirements Security management Control panel	Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4 585 x 771.1 x 932.2 mm 95.6 kg 95.6 kg 95.6 kg 96.6 day 97.6 points, TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware instal 90 day parts only. Extended Warranty and support options vary by product, country and local legal requirer region. Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5 USE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 YG Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Home, XP Pro, etc.) PC: 2 GB available hard disk space; OS hardware requirements see microsoft.com Mac: 1.3 GB available hard dirve space; Internet; OS hardware requirements see Apple.com for more info Management security; SMPA)-S, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), If Support for WJA-10 IPsec Configuration using IPsec Plug-in 84 scalable True Type fonts 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware	the Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard ad, Prepunched, Colored 57.2 mm I and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) nents. Go to http://www.hp.com/support to learn about HP award winning service and support options in you seemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Prover TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; lluminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware liluminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware	
Adedia sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features Systems Compatible operating systems Alinimum system requirements Security management Fonts and Typefaces Control panel	Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4 585 x 771.1 x 932.2 mm 95.6 kg 95.6 kg Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware instal 90 day parts only. Extended Warranty and support options vary by product, country and local legal requirer region. Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8. SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 YW Windows 7 all 32-8 64-bit editions (windows 8/8.10, 18.2-8.6 64-bit editions (excluding RT OS for Tablets), Home, XP Pro, etc.) Pt.: 2 GB available hard disk space; OS hardware requirements see incrosoft.com Mac: 1.3 GB available hard disk space; OS hardware requirements see Apple.com for more info Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), If Support for WIA-10 IP-Sec Configuration using IP-sec Plug-in 84 scalable True Type fonts 8-0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket 8-0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD) Power supply type: internal (Built-in) power supply; Power supply required: input voltage: 110 to 127Var	I, HP Glossy 200g, Carstock 176-220g, Čard Glossy 176-220g, Light Paperboard 221-255g, Paperboard ad, Prepunched, Colored 57.2 mm Land setup documentation; Support flyers (DOES NOT INLCLUDE TONER) nents. Go to http://www.hp.com/support to learn about HP award winning service and support options in you 57.8 Gb, Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux Seemite, 05 x 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT 05 for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (by Pover TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; Extended Keyboard c (+/- 10%), 220 to 240Vac (+/- 10%), 50/60 Hz (+/- 3%)	
Adedia sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features Systems Compatible operating systems Alinimum system requirements Security management Sonts and Typefaces Control panel Display	Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4 585 x 771.1 x 932.2 mm 95.6 kg 95.6 kg Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware instal 90 day parts only. Extended Warranty and support options vary by product, country and local legal requirer region. Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8. SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 YW Windows 7 all 32-8 64-bit editions (windows 8/8.10, 18.2-8.6 64-bit editions (excluding RT OS for Tablets), Home, XP Pro, etc.) Pt.: 2 GB available hard disk space; OS hardware requirements see incrosoft.com Mac: 1.3 GB available hard disk space; OS hardware requirements see Apple.com for more info Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), If Support for WIA-10 IP-Sec Configuration using IP-sec Plug-in 84 scalable True Type fonts 8-0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket 8-0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD) Power supply type: internal (Built-in) power supply; Power supply required: input voltage: 110 to 127Var	I, HP Glossy 200g, Carstock 176-220g, Čard Glossy 176-220g, Light Paperboard 221-255g, Paperboard ad, Prepunched, Colored 57.2 mm Land setup documentation; Support flyers (DOES NOT INLCLUDE TONER) nents. Go to http://www.hp.com/support to learn about HP award winning service and support options in you 57.8 Gb, Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux Seemite, 05 x 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT 05 for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (by Pover TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; Extended Keyboard c (+/- 10%), 220 to 240Vac (+/- 10%), 50/60 Hz (+/- 3%)	
Adedia sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features Systems Compatible operating systems Alinimum system requirements Security management Conts and Typefaces Control panel Display Power Software included	Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4 585 x 771.1 x 932.2 mm 95.6 kg 95.6 kg 95.6 kg 95.6 kg 95.6 kg 95.6 kg 96.6 kg 97.6 kg 98.6 kg 99.6 kg 99.6 kg 99.6 kg 99.6 kg 99.6 kg Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5 kg 90. day parts only. Extended Warranty and support options vary by product, country and local legal requirer region. Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5 kg SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yc Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Home, XP Pro, etc.) PC: 2 GB available hard disk space; OS hardware requirements see microsoft.com Mac1: 3 GB available hard dirve space; Internet; OS hardware requirements see Apple.com for more info Management security; SMMP2, SSLYITLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), If Support for WJA-10 IPsec Configuration using IPsec Plug-in 84 scalable True Type fonts 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menul; USB High-speed 2.0 port; Hardware Integration Pocket 8.0-in (20.3 cm) touchscreen, SV6A Color Graphic Display (CGD) Power supply type: Internal (Built-in) power supply: Power supply required: Input voltage: 110 to 127Va HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac OA Acoustic power emissions; 16 and 4 paper at 60 ppm; Acoustic power emissions bystander (ready):	i, HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard ad, Prepunched, Colored 57.2 mm 1 and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) nents. Go to http://www.hp.com/support to learn about HP award winning service and support options in you care. Go to http://www.hp.com/support to learn about HP award winning service and support options in you care. Go to http://www.hp.com/support to learn about HP award winning service and support options in you care. Go to http://www.hp.com/support to learn about HP award winning service and support options in you care. Go to http://www.hp.com/support options in you windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Prover TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; Extended Keyboard 1. (4/- 10%), 220 to 240Vac (4/- 10%), 50/60 Hz (4/- 3%) 5. Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals 1. Acoustic power emissions: 6.6 B(A) printing mono simplex using A4 paper at 40 ppm; Acoustic power emissions (ready): Inaudible; Acoustic pressure emissions bystander (active, printing). 51 dB(A) printing mono simplex usingsions bystander (ready):	
Media sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features Systems Compatible operating systems Minimum system requirements Security management Fonts and Typefaces Control panel Display Power Software included Acoustics	Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4 585 x 771.1 x 932.2 mm 95.6 kg 95.6 kg Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware instal 90 day parts only. Extended Warranty and support options vary by product, country and local legal requirer region. Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8 SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 to Windows 7 al 32-8 64-bit editions, Windows 8/8.1 all 32-8 64-bit editions (excluding RT OS for Tablets), Home, XP Pro, etc.) Pt.: 2 68 available hard disk space; OS hardware requirements see microsoft.com Mac 13.68 available hard drive space; Internet; OS hardware requirements see Apple.com for more info Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), If Support for WIA-10 IPsec Configuration using IPsec Plug-in 84 scalable True Type fonts 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menul; USB High-speed 2.0 port; Hardware Integration Pocket 8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD) Power supply type: Internal (Built-in) power supply, Power supply required: Input voltage: 110 to 127Va HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac O Acoustic power emissions; 6.7 8(A) printing mono simplex using A4 paper at 60 ppm; Acoustic power emissions bystander (cative, printing): 51 dB(A) printing mono simplex using A4 paper at 60 ppm; Acoustic pressure emissions bystander (cative, printing): 51 dB(A) printing mono simplex using A4 paper at 60 ppm; Acoustic pressure emissions bystander (ready): Inaudible	I. HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard ad, Prepunched, Colored 57.2 mm Land setup documentation; Support flyers (DOES NOT INLCLUDE TONER) nents. Go to http://www.hp.com/support to learn about HP award winning service and support options in you 5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Lin 5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Lin 5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Lin 5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Lin 5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Lin 5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Lin 5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Lin 5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Lin 5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Lin 5, 8.6), Linux Fedora (22, 23, 24), Linux Red Hat Enterprise (6.0, 7.0), Linux Red Hat E	
Media veight Media sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features Systems Compatible operating systems Minimum system requirements Security management Fonts and Typefaces Control panel Display Power Software included Acoustics Environmental ranges	Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4 585 x 771.1 x 932.2 mm 95.6 kg 95.6 kg 95.6 kg 95.6 kg 96.6 kg 97.6 kg 98.6 kg 99.6 kg 99.6 kg 99.6 kg 99.6 kg 99.6 kg 99.6 kg Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5 kg 99.6 kg Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5 kg SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Ye Windows 7 all 32- & 64-bit editions, Windows 7 all 32- & 64-bit editions (excluding RT OS for Tablets), Home, XP Pro, etc.) PC: 2 GB available hard disk space; OS hardware requirements see microsoft.com Mac: 1.3 GB available hard dirive space; Internet; OS hardware requirements see Apple.com for more info Management security: SMPAy-S, SSL/TLS, WPAZ-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), If Support for WJA-10 IPsec Configuration using IPsec Plug-in 84 scalable TrueType fonts 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket 8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD) Power supply type: Internal (Built-in) power supply: Power supply required: Input voltage: 110 to 127Va HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac O Acoustic power emissions: 6, 7 B(A) printing mono simplex using A4 paper at 60 ppm; Acoustic power emissions (ready): inaudible, Acoustic pressure emissions bystander (cready): Inaudible and and a paper at 60 ppm; Acoustic pressure emissions bystander (cready): Inaudible and paper at 60 ppm; Acoustic power emissions bystander (cready): Inaudible and paper at 60 ppm; Acoustic power emissions bystander (cready): Inaudible and paper at 60 ppm	Li Ho Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard ad, Prepunched, Colored 57.2 mm 1. and setup documentation; Support flyers (DOES NOT INLCLUDE TONER) nents. Go to http://www.hp.com/support to learn about HP award winning service and support options in your conservice, OS X 10.11 EL Capitan, UNIX, Windows 10 all 32-8 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Horne Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Windows Vista all 32bit editions (Horne Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Windows Vista all 32bit editions (Horne Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Windows Vista all 32bit editions (Horne Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Windows Vista all 32bit editions (Horne Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Windows Vista all 32bit editions (Horne Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Windows Vista all 32bit editions (Horne Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Windows Vista all 32bit editions (Horne Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Windows Vista all 32bit editions (Horne Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (Windows Vista all 32bit editions (Wi	
Media sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features Systems Compatible operating systems Minimum system requirements Security management Fonts and Typefaces Control panel Display Power Software included Acoustics Environmental ranges	Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4 585 x 771.1 x 932.2 mm 95.6 kg 95.6 kg Engine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware instal 90 day parts only. Extended Warranty and support options vary by product, country and local legal requirer region. Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8 SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 to Windows 7 at 132-8 64-bit editions (excluding RT OS for Tablets), 14 home, XP Pro, etc.) PC: 2 6B available hard drive space; Internet; OS hardware requirements see Paple.com for more info Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), If Support for WIA-10 IPsec Configuration using IPsec Plug-in 84 scalable True Type fonts 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket 8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD) Power supply type: Internal (Built-in) power supply: Power supply required: Input voltage: 110 to 127Va HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac O Acoustic power emissions: 6.7 B(A) printing mono simplex using 4A paper at 60 ppm; Acoustic power emissions (bytander (ready): Inaudible; Acoustic pressure emissions bystander (cative, printing): 51 dB(A) printing mono simplex using 4A paper at 60 ppm; Acoustic pressure emissions bystander (ready): Inaudible (CBD): 12005 +A1:2009 +A2:2013 (international); EN60950-1:2006 +A11:2009 +A1:2010 +A1:2011	I. HP Glossy 200g, Carstock 176-220g, Čard Glossy 176-220g, Light Paperboard 221-255g, Paperboard ad, Prepunched, Colored 57.2 mm Land setup documentation; Support flyers (DOES NOT INLCLUDE TONER) nents. Go to http://www.hp.com/support to learn about HP award winning service and support options in you compared to the service of the service of the support options of you seemite, 05 x 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT 05 for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (by Prover TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; Extended Keyboard c (+/- 10%), 220 to 240Vac (+/- 10%), 50/60 Hz (+/- 3%) S Welcome Screen (Directs users to 123.HP.com or 0S App Source for printer software), Online user manuals Acoustic power emissions; 6.6 B(A) printing mono simplex using A4 paper at 40 ppm; Acoustic power emissions (ready): Inaudible; Acoustic pressure emissions bystander (active, printing): 51 dB(A) printing mono simplex using A4 paper at 40 ppm; Acoustic power emissions; 10 dB(A) printing mono simplex using A4 paper at 40 ppm; Acoustic power emissions; 10 dB(A) printing mono simplex using A4 paper at 40 ppm; Acoustic pressure emissions bystander (active, printing): 51 dB(A) printing mono simplex using A4 paper at 60 ppm; Acoustic pressure emissions bystander (active, printing): 51 dB(A) printing mono simplex using A4 paper at 60 ppm; Acoustic pressure emissions bystander (active, printing): 51 dB(A) printing mono simplex using A4 paper at 60 ppm; Acoustic pressure emissions (active, printing): 51 dB(A) printing mono simplex using A4 paper at 60 ppm; Acoustic pressure emissions; 60 ppm; Acoustic	
Media sizes custom Dimensions (W x D x H) Weight What's in the box Warranty features Systems Compatible operating systems Minimum system requirements Security management Fonts and Typefaces Control panel Display Power Software included Acoustics	Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 4 585 x 771.1 x 932.2 mm 95.6 kg Begine; TCU; Drums; Assy-Color WG Nameplate and Label; Power Cords; Assembly-CD WW; Hardware Instal 90 day parts only. Extended Warranty and support options vary by product, country and local legal requirer region. Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8 SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 V Windows 7 all 32-8 64-bit editions (windows 48/8.1 all 32-8 64-bit editions (excluding RT OS for Tablets), 14 home, XP Pro, etc.) Pt.: 2 68 available hard drive space; Internet; OS hardware requirements see Apple.com for more info Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), I6 Support for WIA-10 IP-Sec Configuration using IP-sec Plug-in 84 scalable True Type fonts 8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket 8.0-in (20.3 cm) touchscreen, SVGA Color Graphic Display (CGD) Power supply type: Internal (Bullt-in) power supply: Power supply required: Input voltage: 110 to 127Va HP Connected, HP Device Experience (DXP), HP PCL 6 Printer Driver, HP Software Installer/Uninstaller, Mac 0 Acoustic power emissions: 6.7 8(A) printing mono simplex using A4 paper at 60 ppm; Acoustic power emissions bystander (cative, printing): 51 dB(A) printing mono simplex using A4 paper at 60 ppm; Acoustic power emissions bystander (ready): Inaudible; Acoustic pressure emissions bystander (ready): Inaudible (Bacoustic power emissions (accounties) and paper at 60 ppm; Acoustic power emissions bystander (ready): Inaudible (Acoustic power emissions) and Paper at 60 ppm; Acoustic power emissions bystander (ready): Inaudible (Acoustic power emissions) a	I. HP Glossy 200g, Carstock 176-220g, Čard Glossy 176-220g, Light Paperboard 221-255g, Paperboard ad, Prepunched, Colored 57.2 mm Land setup documentation; Support flyers (DOES NOT INLCLUDE TONER) nents. Go to http://www.hp.com/support to learn about HP award winning service and support options in you compared to the service of the service of the support options of you seemite, 05 x 10.11 El Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT 05 for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (by Pover TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; Extended Keyboard c (+/- 10%), 220 to 240Vac (+/- 10%), 50/60 Hz (+/- 3%) S Welcome Screen (Directs users to 123.HP.com or 05 App Source for printer software), Online user manuals Acoustic power emissions; 6.6 B(A) printing mono simplex using A4 paper at 40 ppm; Acoustic power emissions; 6.6 B(A) printing mono simplex using A4 paper at 40 ppm; Acoustic power emissions; 15 dB(A) printing mono simplex using A4 paper at 40 ppm; Acoustic power emissions; 15 dB(A) printing mono simplex using A4 paper at 40 ppm; Acoustic power emissions; 15 dB(A) printing mono simplex using A4 paper at 40 ppm; Acoustic power emissions; 15 dB(A) printing mono simplex using A4 paper at 60 ppm; Acoustic pressure emissions bystander (ready): Inaudible emating the subject of the safety approvals as required by individual sort 9100, LPD, WS Discovery, IPR, Secure-IPP; IPSec/Firewall; IPV6: DHCPv6, MLDV1, ICMPv6; IPV4: Auto-IP, SLP, Str. 1910, LPD, WS Discovery, IPR, Secure-IPP; IPSec/Firewall; IPV6: DHCPv6, MLDV1, ICMPv6; IPV4: Auto-IP, SLP, Str. 1910, LPD, WS Discovery, IPR, Secure-IPP; IPSec/Firewall; IPV6: DHCPv6, MLDV1, ICMPv6; IPV4: Auto-IP, SLP, Str. 1910, LPD, WS Discovery, IPR, Secure-IPP; IPSec/Firewall; IPV6: DHCPv6, MLDV1, ICMPv6;	

Footnotes

- ¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then
- self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims

 Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see http://www.hp.connected.com
- ³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at http://www.hp.com/go/printsecurity
- 5 Scan speed measured from ADF at default 300 dpi (black-and-white, grayscale, and color). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and

Product walkaround disclaimers

- ¹ Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.
- ² An administrator must enable the easy-access USB port before use.
 ³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

 Scan speed measured from ADF at default 300 dpi (black-and-white, grayscale, and color). Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and
- application software.

Technical specifications disclaimers

- 1 Based on standard ITU-T test image #1 at standard resolution and MMR encoding, the HP fax device can transmit at 3 sec/page for V.34 and 6 sec/page for V.17
 2 Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ³ Optional Wireless Direct and Wireless
- Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit http://www.hp.com/go/learnaboutsupplies. Actual
- yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies

 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ⁶ Average color composite black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies
- Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

To learn more, visit hp.com